

3D-Con 2022

QooCam EGO Camera Workshop

Gene Mitofsky

National Stereoscopic Society

Photographic Society of America – 3D Division Star Ratings Director APSA PPSA

International Stereoscopic Society

Photo West Arizona

Chicago Stereo Camera Club

Co-host, 3D-Con 2022 SSA Convention Exhibition



Hi Everyone,

This is Dan Chen, CEO of Kandao, it's our great honor to join 3D-Con this year. Though I cannot attend in person, we have Gene represent Kandao to share the story of our company and introduce QooCam EGO, the viewer-integrated 3D camera. We are a high-tech company creating innovative imaging products, and a pioneer in the field of 3D VR cameras, VR technology, and Ultra-HD video cameras. The first 3D camera we released was Kandao Obsidian. It won the CES Best of innovation awards with its high-quality performance, professional depth mapping algorithm, and user-friendly workflow. QooCam EGO is our endeavor in the consumer market to lower the threshold for enjoying 3D photography, it comes with a viewer to allow users to enjoy 3D videos and photos right after shooting. For 3D-Con, we also prepare one free QooCam EGO as a giveaway. I think that you will like it!

Finally, I would like to congratulate in advance on the success of 3D-Con 2022. I hope you enjoy the event!

THE COMPANY

<https://www.kandaovr.com/>

Shenzhen Kandao Technology is a national high-tech enterprise, and is selected as one of the “little giant” enterprises by the Ministry of Industry and Information Technology. Adhering to the mission of “creating distinguished imaging products, enriching human life experience”, and driven by the mutual development of hardware and software, Kandao is a pioneer in the field of VR technology, Ultra-HD video cameras and video conferencing cameras. We set a new record for being the first Chinese company honored by the CES Best of Innovation Award in the digital imaging category, and the first Chinese company that won Japan Good Design Best 100 in the camera category. Over the years, we've earned many international authoritative awards such as CES Innovation Awards, iF Design Awards, Red Dot Design Award, IDEA Design Award, Japan Good Design Award, German Design Award.

Good Design Award The Good Design Award, founded in 1957 by the Japan Institute of Design Promotion, has a history of nearly a half-century. It is recognized as the most authoritative and influential design award in Asia, known as the “Oriental Design Oscar Award “. It is recognized as one of the 4 major international design awards along with the Red Dot Design Award, iF Design Awards, and the IDEA Design Award.


Good Design Award 2021 Best 100 Japan Good Design Award, as one of the 4 major design awards in the world, attracted a total of 5835 products to hit the stage in 2021. Kandao Obsidian Pro stands out with superb craftsmanship and remarkable performance. It is our honor to be named Good Design Best 100 alongside globally well-known brands such as Canon, Sony, Fujifilm, and Sigma. This award made us the only Chinese camera enterprise that earned Best 100 during the past 46 years since foreign companies joined the competition.


iF Design Awards 2021 iF Design Awards, abbreviated as "iF", was established in 1953. The award is regularly held by iF Industrie Forum Design, the oldest industrial design organization in Germany. It is famous for its "independent, rigorous and reliable" award concept and aims to enhance the public's understanding of design. Kandao Meeting Pro won the iF Design Awards 2021 for its unique design style and exquisite craftsmanship.

CES Innovation Awards 2021 CES Innovation Awards is set for 29 categories of consumer electronic products to recognize the outstanding achievements of consumer electronic products in design and engineering. It is the most important award in CES exhibition. Kandao Meeting pro and Kandao Obsidian Pro won the CES Design Awards in 2021 with their unique design style, exquisite craftsmanship and top technology.


The Red Dot Design Awards 2021 The Red Dot Design Awards is recognized as an international symbol of creativity and design. Winning the award means that the appearance and texture of products have won the most authoritative "Quality Assurance". Kandao Meeting Pro won the 2021 red dot design award for its excellent performance, exquisite workmanship and proud quality.

FIRMWARE Updates





ACCESSORIES





A way to make the buttons easier to push.

Just some cheezy and cheezy plastic dazzle found in most craft stores. I use them on all my camera accessories to

Includes a
THE BEST CELL PHONE CHARGING, 6000mAh POWERBANK

"I have used an external Power Grip without the battery installed (see photo below). Have not used it to charge the camera." continuous runtime than the internal battery (6000 mAh vs 1340 mAh)

Dean Zwikel

Amazon \$22 Vidpro PG-6X Rechargeable Battery Hand Grip - Selfie Charging Stick - Powerbank Extension Rod Kit Includes Detachable Bracket USB Cable Smartphone Clamp Compatible with Action Cameras Phones & More

With power handle vidPro \$22 -

- 1- Camera off ,battery in it charges
- 2 - Camera on plugged in in works, not sure which battery is working.
- 3- Camera on battery off it works (no heat)

Not sure specs of handle or how long the battery lasts, but this way I have 2 power sources. (potentially 3 if I use a battery pack to charge the handle.

Cassie

<https://smile.amazon.com/dp/B01M8GQNAW?psc=1...>

I know the battery is on the small size but I wanted a small handle and the price was great!

Vivitar APM-7582 5200mAh Compact Power Grip for GoPro or Action Cameras \$5


Ho hem All in 1 3-Axis Gimbal Stabilizer for Compact Cameras/Action Cameras/Smartphone w/ 600° Inception Mode, 0.9lbs Payload for iPhone 11 Pro Max/GoPro Hero 8/Sony Compact Camera RX100 - iSteady Multi \$150 Amazon

EGO internal battery = 1340 mAH, PG 6X Handle/battery = 6000 mAH

THE CAMERA GETTING STARTED

The hatch is in fact in two parts: you have first to slide down the bottom part (green arrow #1) then lift the door upwards (second green arrow)

If you hold the camera in your left hand and put the outside edge of your first finger sideways on the latch and push downwards (not in) the latch easily opens



Download Firmware

The latest version of firmware V2.0.10 is available.

Main features are as followed:

1. Add battery saved mode
2. Add auto sleep and auto shutdown options
3. Add touch screen shutter
4. Support to save WiFi
5. Interactive optimization
6. Fix some known issues

Cancel Download

Download Firmware

The latest version of firmware V2.1.29 is available.

Main features are as followed:

1. Supported setting the validity period and password of the sharing code;
2. Added custom button Q key;
3. Added USB file transfer mode;
4. Optimized the volume of video playback;
5. Optimized the interface interaction fluency;
6. Fix some known issues

Cancel Download

Download Firmware

The latest Firmware version is V2.5.8 The new features are as follow:

1. Photo and video quality optimization;
2. Stability optimization
3. Fix some known issues

Important hints:

1. This version is recommended to be upgraded through the QooCam APP.
2. If upgrading with Micro SD: Please prepare a FAT32 SD card; Copy the firmware to the micro SD card root directory; Insert the SD card into the camera and turn on the camera; Follow the instructions to upgrade.
3. Camera parameters will be reset after the upgrade.

Cancel Download

When you do the newest firmware it will erase your pictures so back them up first.

It will also erase your internet and hotspot passwords so be prepared in advance

QooCam EGO's YouTube Metadata Injector

QooCam EGO's YouTube Metadata Injector

A tool for QooCam EGO's users to add Metadata before uploading videos to YouTube.

Windows Mac OS

WINDOWS_EXE 1.0.0	MAC OS 1.0.0
2022-07-22	2022-07-22

IPHONE app for EGO Camera

The collage displays four screenshots from the iPhone app: 1) A live camera view showing a person in a room. 2) A photo gallery view showing a grid of captured images. 3) A 'Camera Album' gallery view with a 'Photo' button. 4) The 'Settings' menu with options like 'Delete', 'Camera Motion', 'Developer Camera', 'Firmware version', 'API-URL', 'Format', 'Auto Stop Rot-Temp', 'Resolution', 'API-URL', 'API-URL', 'Privacy Service', 'General', 'Language', 'Clear Cache', 'Feedback', and 'App Version'.

CAMERA SETTINGS (RECOMMENDATIONS)



Auto Lock turns the screen off, as fast as 1 min. Touching the power button turns it on and the camera is ready to shoot right away.

Auto Shutdown turns the camera off. The fastest time is 5 minutes, I am using 10.

I do not turn the camera off, just put it in my pocket. I might pull it out in a minute or two, it is ready to take pictures. If I don't take a picture for 10 minutes, then it will shut off and I have to go through the lengthy turn on process.

This seems to be a good compromise between saving battery and having the camera ready to shoot. Experiment to find your own best settings.

George



If you are using the camera in low-light situations in AUTO mode, be prepared to get blurry pictures.

AUTO mode drops the shutter speed until it bottoms at 1/15s (the lowest speed the camera uses). Impossible to hand hold

Change AUTO to Sports mode 1/120.


Outside on a sunny day, the shutter speed of 1/120 is irrelevant. The camera will use higher shutter speeds at the lowest ISO (100).

As the light drops, the 1/120 will become relevant and important for getting sharp shots. The speed will drop until it reaches 1/120 and then the ISO will increase until it hits the ceiling, then the speed will drop to 1/15, in that order.

George

SHOOTING RECOMMENDATIONS

Distance adjustment does matter



Internet



1. Go to settings and make sure Wi-Fi is on
2. Wait a minute or two for all the nearby Wi-Fi signals to appear
3. Choose your network or cell phone hot spot and put in the password.

To link to the app on your cell phone

1. Go to Settings and turn on hotspot
2. Give the Hotspot a name and password.

CONNECTING THE CAMERA TO THE INTERNET

Sharing

Double the Joy When Sharing

Join EGO Community for Exclusive Joy

Our Video-talkie in-cam chatroom lets you send video to your EGO partner without connecting the phone, or you can share your fantastic work with all users via QooCam app.


Sharing photos and videos

Share by uploading to the cloud and generating the unique PIN code

Connect your camera to the Internet via through a network or thought your cell phone's hot spot

● **Tips for Generating PIN Code:**

1. Select a video/photo, then tap the three-dot at the bottom right corner and share.
2. Set a valid period as 30 days and confirm.





A New Worldwide 3D Community

1. Connect to the internet (home network, cell phone hot spot, etc)
2. View photo you want (swipe left to right)
3. Tap the 3 dots in the lower right corner and tap "share".
4. Choose the duration then password y/n
5. You will get a 4 letter/number code.

Share that code (facebook, text, email, etc.) with any other EGO user
They will swipe down, choose download, enter the code and
SEE YOUR PHOTO!


A New Worldwide 3D Community

Saving



EXPORT VIDEO FOR LG 3D TV





VIEWING



**You can view your EGO videos
(Anaglyph)
with VLC Media Player (free)**

Open VLC, Media - Open
choose your mp4 file (in a folder
already transferred from camera to
computer)

Change settings.....
Tools - Effects and Filter
Video Effects - Advanced
Anaglyph 3D, Close

Video (main menu)
Aspect ratio 16:9 or 4:3

STEREOPHOTO MAKER SUGGESTIONS



If you have cropped 4:3 then it does not matter which one you choose.

If you do not have an exact 4:3 ratio, then you have to select either "Don't keep Aspect Ratio" or "Keep Ratio with Border"

Remember that every time you do an alignment, even as slight as moving the stereo window a small step, you need to resize.

Individual Cropping

George

Masuji Suto

How to batch auto-align images taken with Qoocam EGO using SPM and view them in Qoocam EGO's viewer.

The requirements for playback on QooCam EGO are as follows

1. Resolution must be 4000 x 3000 x 2, single left-right image.
2. File name follows the rule of EGO's format.
3. Need the Exif information

The key to achieving this in a batch conversion of SPM is to

1. set the output to JPG and optionally, "Add Thumbnail..." (for embed Exif).
2. set the image size to 4000x3000
3. if the file name is a file taken with EGO, it will be written to the output folder with that name, no problem.

For photos taken with cameras other than the Qoocam EGO, use SPM's batch rename function to rename them to the Qoocam EGO file name format.

File name follows the rule of EGO's format.



Need the Exif information


Masuji Suto

The key to achieving this in a batch conversion of SPM is to

1. set the output to JPG and optionally, "Add Thumbnail..." (for embed Exif).
2. set the image size to 4000x3000
3. if the file name is a file taken with EGO, it will be written to the output folder with that name, no problem.

For photos taken with cameras other than the Qoocam EGO, use SPM's batch rename function to rename them to the Qoocam EGO file name format.





Multicoverision

1. Crop
2. Border
3. Absolute

The original image was 4000x3000

After alignment the size changes to 3793x2921
 Scaled at 3000 height: 3895x3000
 Scaled at 4000 length: 4000x3080

* The crop option will take the 4000x3080 and crop 80 pixels (symmetrically, 40 from the top and 40 from the bottom) to bring it to 4000x3000

The Border option will take the 3895x3000 and create a border (filling the horizontal direction) to bring it to 4000x3000

The Absolute option will scale to 3000x4000 without keeping the aspect ratio.

Other 3D photos put on EGO

Masuji I've been able to put folders of existing 3-D pictures on the camera for use with the viewer. I use the multi-conversion in SPM to resize everything in a folder to 4000x3000 (check the box for "keep designated size" and select "border").

Then I use a bulk rename utility to rename all of the images with a number sequence and naming convention ####_date_time i.e. 0001_20220614_170000

Then I copy the folder onto the SD card and rename it with a two digit number ## i.e. 02

With the viewer on the camera, I can see all of my images in stereo.

There is an odd issue - the images show a "broken" icon when viewed on the camera screen in 2-D without the viewer attached, but they show up fine when the viewer is put on.

LINKS

Kanda company ad https://prd.kandaovr.com/product/qocam-ego/?gclid=CjwKCAjw_ISWBhBkEiwAdqxb9mH3lueKR26IDMKkTV_vTsyQN37F3cLiRepOaKDOKkKQZs4MJUDmeRoCc48QAvD_BwE

EGO camera Launch <https://youtu.be/WA2n4DYbIAI>

EGO camera quick start manual and video <https://www.kandaovr.com/user-guide/>

Stereoscopic Blog <https://stereoscopy.blog/2022/06/08/straight-from-the-box-review-qoocam-ego-a-new-digital-stereo-3d-camera/>

<https://stereoscopy.blog/category/cameras/>

Firmware update

<https://www.kandaovr.com/download/index.html>

Yuqing Guo review <https://www.youtube.com/watch?v=IT6I6-WTAf4&t=44s>

<https://www.youtube.com/watch?v=IJpO5LVD6vs&t=564s>

New features <https://www.youtube.com/watch?v=IJpO5LVD6vs>

EGO review <https://petapixel.com/2022/02/08/the-kandao-qoocam-ego-shoots-and-displays-3d-photos/>

EGO Iphone app <https://www.youtube.com/watch?v=99-WP8Hqw7I>

EGO Sharing https://ww0.kandaovr.com/resource/ego_to_ego_en.mp4